

Corrigendum

Corrigendum to “Vitamin D-Binding Protein Clearance Ratio Is Significantly Associated with Glycemic Status and Diabetes Complications in a Predominantly Vitamin D-Deficient Population”

Nabila A. Abdella ¹ and **Olusegun A. Mojiminiyi** ²

¹Department of Medicine, Faculty of Medicine, Kuwait University, Kuwait City, Kuwait

²Department of Pathology, Faculty of Medicine, Kuwait University, Kuwait City, Kuwait

Correspondence should be addressed to Nabila A. Abdella; nabdella12@yahoo.com

Received 3 September 2018; Accepted 10 September 2018; Published 22 October 2018

Copyright © 2018 Nabila A. Abdella and Olusegun A. Mojiminiyi. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Vitamin D-Binding Protein Clearance Ratio Is Significantly Associated with Glycemic Status and Diabetes Complications in a Predominantly Vitamin D-Deficient Population” [1], the mention of “radioimmunoassay” in the Materials and Methods was incorrect, where the sentence “Serum vitamin 25 (OH) D was measured by radioimmunoassay on Cobas e411.” should be corrected to “Serum vitamin 25 (OH) D was measured by electrochemiluminescence immunoassay on Cobas e411.”

References

- [1] N. A. Abdella and O. A. Mojiminiyi, “Vitamin D-binding protein clearance ratio is significantly associated with glycemic status and diabetes complications in a predominantly vitamin D-deficient population,” *Journal of Diabetes Research*, vol. 2018, Article ID 6239158, 8 pages, 2018.